



•PATENT NUMBER

Best Available Copy

U.S. UTILITY Patent Application

 O.I.P.E. SCANNED	PATENT DATE  Q.A.
----------------------------------------------------------------------------------------------------------	------------------------------------------------------------------------------------------------------------------

APPLICATION NO. 09/711905	CONT/PRIOR F	CLASS <u>349</u> <u>369</u>	SUBCLASS 345	ART UNIT 2612	EXAMINER ROBERT CHU
------------------------------	-----------------	-----------------------------------	-----------------	------------------	------------------------

RECOMMENDATIONS

2851

TIME Estimated marker of date storage medium, focusing control units, and for best drug field deviation and unit for forming member of date storage medium.

PTO-2040
12/89

ISSUING CLASSIFICATION

Continued on Issue Slip Inside File Jacket

TERMINAL DISCLAIMER	DRAWINGS			CLAIMS ALLOWED	
	Sheets Drwg.	Figs. Drwg.	Print Fig.	Total Claims	Print Claim for O.G.
<input type="checkbox"/> The term of this patent subsequent to _____ (date) has been disclaimed.				NOTICE OF ALLOWANCE MAILED	
<input type="checkbox"/> The term of this patent shall not extend beyond the expiration date of U.S Patent No. _____ _____ _____				ISSUE FEE	
	(Assistant Examiner)	(Date)		Amount Due	Date Paid
<input type="checkbox"/> The terminal _____ months of this patent have been disclaimed.				ISSUE BATCH NUMBER	
	(Primary Examiner)	(Date)		(Legal Instruments Examiner)	
				(Date)	

WARNING:

The information disclosed herein may be restricted. Unauthorized disclosure may be prohibited by the United States Code Title 35, Sections 122, 181 and 368. Possession outside the U.S. Patent & Trademark Office is restricted to authorized employees and contractors only.

Form PTO-438A
(Rev. 6/99)

FILED WITH: DISK (CRF) FICHE CD-ROM

(Attached in pocket on right inside flap)

published in part in the same issue